INSPIRED BY CREED - HD AIR FRESHENER

Page: 1

Compilation date: 27/04/2023

Revision No: 1

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: INSPIRED BY CREED - HD AIR FRESHENER

Product code: HC8503 Synonyms: HC8503

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products.

# 1.3. Details of the supplier of the safety data sheet

Company name: LIQUID SCIENCE SOLUTIONS LIMITED

Bentley Wood Way

Network 65 Business Park

Hapton, Burnley

Lancashire BB11 5ST

UK GB & NI

**Tel:** +44(0)1282 831251 **Fax:** +44(0)1282 450456

Email: info@liquidscience.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44(0)1282 831 251

(office hours only)

#### Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1: H317; Aquatic Chronic 3: H412; Flam. Aerosol 1: H222; -: H229

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an

allergic skin reaction. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Label elements:

Hazard statements: H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark

#### INSPIRED BY CREED - HD AIR FRESHENER

Page: 2





Signal words: Danger

Precautionary statements: P102: Keep out of reach of children.

P261: Avoid breathing spray.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

Haz. ingredients (label): CONTIANS PERFUME (CONTAINING: LINALYL ACETATE, LIMONENE, ISO SUPER E,

LINALOOL); LIQUIFIED PETROLEUM GAS PROPELLANT

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

## 3.2. Mixtures

#### **Hazardous ingredients:**

PROPANE, <0.1% 1,3 BUTADIENE - REACH registered number(s): 01-2119486944-21-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-827-9	74-98-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	30-50%

# BUTANE, <0.1% 1,3 BUTADIENE - REACH registered number(s): 01-2119474691-32-XXXX

203-448-7	106-97-8	Substance with a Community	Flam. Gas 1: H220; Press. Gas: H280	10-30%	
		workplace exposure limit.			

## ETHANOL - REACH registered number(s): 01-2119457610-43-XXXX

200-578-6	64-17-5	Substance with a Community	Flam. Liq. 2: H225	10-30%
		workplace exposure limit.		

### MONO PROPYLENE GLYCOL - REACH registered number(s): 01-2119456809-23-XXXX

200-338-0	57-55-6	Substance with a Community	-	1-10%
		workplace exposure limit.		

#### INSPIRED BY CREED - HD AIR FRESHENER

Page: 3

## PERFUME AVENTUS CREED 2298 (CONTAINING: LINALYL ACETATE, LIMONENE, ISO SUPER E, LINALOOL)

-	-	-	Aquatic Chronic 1: H410; Skin Irrit. 2:	<1%
			H315; Skin Sens. 1: H317; Asp. Tox. 1:	
			H304	

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Aerosol cans may explode during a fire, giving a high

speed projectile.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

#### INSPIRED BY CREED - HD AIR FRESHENER

Page: 4

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Hazardous ingredients:

## PROPANE, <0.1% 1,3 BUTADIENE

### Workplace exposure limits:

Respi	rah	ᄾ	met.

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
UK	Asphyxiating	Asphyxiating	-	-	
BUTANE, <0.1% 1,3 BUTADIENE					
UK	1450 mg/m3	1810 mg/m3	_	-	

#### ETHANOL

UK	4000 / 0			
I UK I	1920 mg/m3	-	-	- 1

#### MONO PROPYLENE GLYCOL

lik	450	NI4II		
l UK	150 ppm	No standard	_	-

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

#### INSPIRED BY CREED - HD AIR FRESHENER

Page: 5

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Colourless

Odour: Pleasant

Evaporation rate: Fast

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Slightly soluble

Viscosity: Non-viscous

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: 0.9 upper: 14.0

Flash point°C: -40 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: >230 Vapour pressure: No data available.

**Relative density:** No data available. **pH:** Not applicable.

VOC g/l: No data available.

## 9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### INSPIRED BY CREED - HD AIR FRESHENER

Page: 6

### **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

#### MONO PROPYLENE GLYCOL

ORL	DAT	1 DEU	>5000	malka
UNL	INA I	LDJU	-3000	mg/kg

## Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

# Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil. Volatile. Vapour is heavier than air.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

#### INSPIRED BY CREED - HD AIR FRESHENER

Page: 7

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Waste code number: 16 05 05

Disposal of packaging: Empty cans must not be burned because of explosion hazard. Recycle container where

permitted.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1950

## 14.2. UN proper shipping name

Shipping name: AEROSOLS

### 14.3. Transport hazard class(es)

Transport class: 2

# 14.4. Packing group

# 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

# 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D
Transport category: 2

# **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

# Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

All substances in this preparation are registered within UK/EU/EFTA countries under the

REACH (UK/EC) (ammended) regulations, EC 1907/2006

[cont...]

### INSPIRED BY CREED - HD AIR FRESHENER

Page: 8

Phrases used in s.2 and s.3: H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.